

**Table 2.** Seed mix for biomass production

Common Name	Scientific Name	Moisture Class	Seeding Rate (seeds/sqft)
<b>Grasses</b>			
Western Wheatgrass	<i>Agropyron smithii</i>	D	4.00
Big Bluestem	<i>Andropogon gerardii</i>	W-M-D	14.00
Side-Oats Grama	<i>Bouteloua curtipendula</i>	M-D	4.00
Canada Wild Rye	<i>Elymus canadensis</i>	M-D	4.00
Virginia Wild Rye	<i>Elymus virginicus</i>	W-M	4.00
Switchgrass	<i>Panicum virgatum</i>	W-M-D	4.00
Little Bluestem	<i>Schizachyrium scoparius</i>	M-D	14.00
Indian Grass	<i>Sorghastrum nutans</i>	M-D	4.00
<b>TOTAL</b>			<b>52.00</b>
<b>Wildflowers</b>			
Milk Vetch	<i>Astragalus canadensis</i>	W-M-D	3.50
Showy Tick Trefoil	<i>Desmodium canadense</i>	M	3.50
Saw-Tooth Sunflower	<i>Helianthus grosseserratus</i>	W-M-D	3.50
Ox-Eye Sunflower	<i>Heliopsis helianthoides</i>	M-D	3.50
Round-Headed Bush Clover	<i>Lespedeza capitata</i>	M-D	3.50
Stiff Goldenrod	<i>Oligoneuron rigidum</i>	M-D	3.50
Yellow Coneflower	<i>Ratibida pinnata</i>	M-D	3.50
Compass Plant	<i>Silphium laciniatum</i>	M-D	0.25
<b>TOTAL</b>			<b>24.75</b>